

## RetailFlux – Axis Supported Hardware List

<b>Product</b>	<b>CPU, video processing and compression</b>	<b>Memory resources</b>	<b>Product family*</b>
AXIS F34	ARTPEC 5  H.264 Baseline, Main Profile and High Profile Motion JPEG	256 MB Flash, 1024 MB RAM	D1-CAM
AXIS F41	ARTPEC-5  H.264 Baseline, Main Profile and High Profile Motion JPEG	256 MB Flash, 512 MB RAM	D2-ENC
AXIS F44	ARTPEC-5  H.264 Baseline, Main Profile and High Profile Motion JPEG	256 MB Flash, 1024MB RAM	D3-ENC
AXIS M1004-W	Ambarella-A5S  H.264 Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	C1-CAM
AXIS M1013	Ambarella-A5S  H.264 Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	C1-CAM
AXIS M1014	Ambarella-A5S  H.264 Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	C1-CAM
AXIS M1025	Ambarella-A5S  H.264 Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	C1-CAM
AXIS M1034-W	Ambarella-A5S	128 MB Flash, 256 MB RAM	C1-CAM

<b>Product</b>	<b>CPU, video processing and compression</b>	<b>Memory resources</b>	<b>Product family*</b>
	H.264 Main Profile, Motion JPEG		
AXIS M1054	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 128 MB RAM	A2-CAM
AXIS M1124	ARTPEC-5 H.264 Baseline Profile, Motion JPEG	256 MB Flash, 512 MB RAM	D2-CAM
AXIS M1124-E	ARTPEC-5 H.264 Baseline Profile, Motion JPEG	256 MB Flash, 512 MB RAM	D2-CAM
AXIS M1125	ARTPEC-5 H.264 Baseline Profile, Motion JPEG	256 MB Flash, 512 MB RAM	D2-CAM
AXIS M1125-E	ARTPEC-5 H.264 Baseline Profile, Motion JPEG	256 MB Flash, 512 MB RAM	D2-CAM
AXIS M1145	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS M1145-L	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS M2014-E	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 256 MB RAM	A3-CAM

<b>Product</b>	<b>CPU, video processing and compression</b>	<b>Memory resources</b>	<b>Product family*</b>
AXIS M3004-V	Ambarella-A5S H.264 Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	C1-CAM
AXIS M3005-V	Ambarella-A5S H.264 Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	C1-CAM
AXIS M3006-V	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 512 MB RAM	B2-CAM
AXIS M3007-P	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 512 MB RAM	B2-CAM
AXIS M3007-PV	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 512 MB RAM	B2-CAM
AXIS M3014	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 128 MB RAM	A2-CAM
AXIS M3024-LVE	Ambarella-A5S H.264 Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	C1-CAM
AXIS M3025-VE	Ambarella-A5S H.264 Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	C1-CAM
AXIS M3026-VE	ARTPEC-4	128 MB Flash, 512 MB RAM	B2-CAM

<b>Product</b>	<b>CPU, video processing and compression</b>	<b>Memory resources</b>	<b>Product family*</b>
	H.264 Baseline and Main Profile, Motion JPEG		
AXIS M3027-PVE	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 512 MB RAM	B2-CAM
AXIS M3037-PVE	ARTPEC 4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 512 MB RAM	B2-CAM
AXIS M3044-V	Ambarella S2L H.264 Baseline and Main Profile, Motion JPEG	256 MB Flash, 512 MB RAM	TBD
AXIS M3045-V	Ambarella S2L H.264 Baseline and Main Profile, Motion JPEG	256 MB Flash, 512 MB RAM	TBD
AXIS M3046-V	Ambarella S2L H.264 Baseline and Main Profile, Motion JPEG	256 MB Flash, 512 MB RAM	TBD
AXIS M5013	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 256 MB RAM	A1-PTZ
AXIS M5013-V	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 256 MB RAM	A1-PTZ
AXIS M5014	ARTPEC-3	128 MB Flash, 256 MB RAM	A1-PTZ

<b>Product</b>	<b>CPU, video processing and compression</b>	<b>Memory resources</b>	<b>Product family*</b>
	H.264 Baseline Profile, Motion JPEG		
AXIS M5014-V	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 256 MB RAM	A1-PTZ
AXIS M7011	ARTPEC-5 H. 264 Baseline Profile, Motion JPEG	256 MB Flash 256 MB RAM	D1-ENC
AXIS M7014	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 512 MB RAM	N/A
AXIS M7016	ARTPEC-4 x 4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash x 4, 512 MB RAM x 4	N/A
AXIS P1204	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 256 MB RAM	A3-CAM
AXIS P1214	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 256 MB RAM	A3-CAM
AXIS P1214-E	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 256 MB RAM	A3-CAM
AXIS P1224-E	ARTPEC-3	128 MB Flash, 256 MB RAM	A3-CAM

<b>Product</b>	<b>CPU, video processing and compression</b>	<b>Memory resources</b>	<b>Product family*</b>
	H.264 Baseline Profile, Motion JPEG		
AXIS P1354	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS P1354-E	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS P1357	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS P1357-E	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS P1364	ARTPEC-5 H.264 Baseline and Main Profile, Motion JPEG	256 MB Flash, 512 MB RAM	TBD
AXIS P1364-E	ARTPEC-5 H.264 Baseline and Main Profile, Motion JPEG	256 MB Flash, 512 MB RAM	TBD
AXIS P1365	ARTPEC-5 H.264 Baseline and Main Profile, Motion JPEG	256 MB Flash, 512 MB RAM	D2-CAM

<b>Product</b>	<b>CPU, video processing and compression</b>	<b>Memory resources</b>	<b>Product family*</b>
AXIS P1365-E	ARTPEC-5 H.264 Baseline and Main Profile, Motion JPEG	256 MB Flash, 512 MB RAM	D2-CAM
AXIS P1405-E	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS P1405-LE	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS P1425-E	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS P1425-LE	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS P1427-E	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 512 MB RAM	B2-CAM
AXIS P1427-LE	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 512 MB RAM	B2-CAM
AXIS P1428-E	Ambarella S288 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 1024 MB RAM	C2-CAM
AXIS P1435-E	ARTPEC-5	256 MB Flash, 512 MB RAM	TBD

<b>Product</b>	<b>CPU, video processing and compression</b>	<b>Memory resources</b>	<b>Product family*</b>
	H.264 Baseline and Main Profile, Motion JPEG		
AXIS P1435-LE	ARTPEC-5 H.264 Baseline and Main Profile, Motion JPEG	256 MB Flash, 512 MB RAM	TBD
AXIS P3214-VE	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS P3214-V	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS P3215-VE	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS P3215-V	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS P3224-LV	ARTPEC-5 H.264 Baseline, Main and High Profile, Motion JPEG	256 MB Flash, 512 MB RAM	D2-CAM
AXIS P3224-LVE	ARTPEC-5 H.264 Baseline, Main and High Profile, Motion JPEG	256 MB Flash, 512 MB RAM	D2-CAM

<b>Product</b>	<b>CPU, video processing and compression</b>	<b>Memory resources</b>	<b>Product family*</b>
AXIS P3225-LV	ARTPEC-5 H.264 Baseline, Main and High Profile, Motion JPEG	256 MB Flash, 512 MB RAM	D2-CAM
AXIS P3225-LVE	ARTPEC-5 H.264 Baseline, Main and High Profile, Motion JPEG	256 MB Flash, 512 MB RAM	D2-CAM
AXIS P3354	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS P3364-LV	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS P3364-LVE	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS P3364-V	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS P3364-VE	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS P3365-V	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM

<b>Product</b>	<b>CPU, video processing and compression</b>	<b>Memory resources</b>	<b>Product family*</b>
AXIS P3365-VE	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS P3367-V	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 512 MB RAM	B1-CAM
AXIS P3367-VE	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 512 MB RAM	B1-CAM
AXIS P3384-V	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS P3384-VE	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS P3904-R	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS P3905-R	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS P3905-RE	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS P3915-R	ARTPEC-4	128 MB Flash, 256 MB RAM	B1-CAM

<b>Product</b>	<b>CPU, video processing and compression</b>	<b>Memory resources</b>	<b>Product family*</b>
	H.264 Baseline and Main Profile, Motion JPEG		
AXIS P5414-E	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B2-PTZ
AXIS P5415-E	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B2-PTZ
AXIS P5514	ARTPEC-5 H.264 Baseline Profile, Motion JPEG	256 MB Flash, 512 MB RAM	D-PTZ
AXIS P5514-E	ARTPEC-5 H.264 Baseline Profile, Motion JPEG	256 MB Flash, 512 MB RAM	D-PTZ
AXIS P5515	ARTPEC-5 H.264 Baseline Profile, Motion JPEG	256 MB Flash, 512 MB RAM	D-PTZ
AXIS P5515-E	ARTPEC-5 H.264 Baseline Profile, Motion JPEG	256 MB Flash, 512 MB RAM	D-PTZ
AXIS P5624-E	ARTPEC-5 H.264 Baseline, Main and High Profile, Motion JPEG	256 MB Flash, 512 MB RAM	D2-PTZ
AXIS P5635-E	ARTPEC-5	256 MB Flash, 512 MB RAM	D2-PTZ

<b>Product</b>	<b>CPU, video processing and compression</b>	<b>Memory resources</b>	<b>Product family*</b>
	H.264 Baseline, Main and High Profile, Motion JPEG		
AXIS P7214	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 512 MB RAM	N/A
AXIS P7216	ARTPEC-4 x 4 H.264 Baseline and Main Profile, Motion JPEG	128 x 4 MB Flash, 512 x 4 MB RAM	N/A
AXIS P7224 Blade	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 512 MB RAM	N/A
AXIS P8524	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 256 MB RAM	A3-CAM
AXIS P8535	ARTPEC-5 H.264 Baseline, Main and High Profile, Motion JPEG	256 MB Flash, 512 MB RAM	D1-CAM
AXIS Q1604	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS Q1604-E	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS Q1614	ARTPEC-4	128 MB Flash, 256 MB RAM	B1-CAM

<b>Product</b>	<b>CPU, video processing and compression</b>	<b>Memory resources</b>	<b>Product family*</b>
	H.264 Baseline and Main Profile, Motion JPEG		
<a href="#">AXIS Q1614-E</a>	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
<a href="#">AXIS Q1615</a>	ARTPEC-5 H.264 Baseline, Main and High Profile, Motion JPEG	256 MB Flash, 512 MB RAM	D1-CAM
<a href="#">AXIS Q1615-E</a>	ARTPEC-5 H.264 Baseline, Main and High Profile, Motion JPEG	256 MB Flash, 512 MB RAM	D1-CAM
<a href="#">AXIS Q1635</a>	ARTPEC-5 H.264 Baseline, Main and High Profile, Motion JPEG	256 MB Flash, 512 MB RAM	D1-CAM
<a href="#">AXIS Q1635-E</a>	ARTPEC-5 H.264 Baseline, Main and High Profile, Motion JPEG	256 MB Flash, 512 MB RAM	TBD
<a href="#">AXIS Q1765-LE</a>	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
<a href="#">AXIS Q1765-LE PT Mount</a>	ARTPEC 4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM

<b>Product</b>	<b>CPU, video processing and compression</b>	<b>Memory resources</b>	<b>Product family*</b>
AXIS Q1775	ARTPEC 5 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	TBD
AXIS Q1775-E	ARTPEC 5 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 512 MB RAM	TBD
AXIS Q1931-E	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS Q1931-E PT	ARTPEC 4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 128 MB RAM	TBD
AXIS Q1932-E	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS Q1932-E PT	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	TBD
AXIS Q1941-E	ARTPEC-5 H.264 Baseline and Main Profile, Motion JPEG	256 MB Flash, 512 MB RAM	TBD
AXIS Q2901-E	ARTPEC-4	128 MB Flash, 256 MB RAM	B1-CAM

<b>Product</b>	<b>CPU, video processing and compression</b>	<b>Memory resources</b>	<b>Product family*</b>
	H.264 Baseline and Main Profile, Motion JPEG		
AXIS Q2901-E PT	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS Q3505-V	ARTPEC-5 H.264 Baseline, Main and High Profile, Motion JPEG	256 MB Flash, 512 MB RAM	D1-CAM
AXIS Q3505-VE	ARTPEC-5 H.264 Baseline, Main and High Profile, Motion JPEG	256 MB Flash, 512 MB RAM	D1-CAM
AXIS Q6000-E	ARTPEC-5 H264 Baseline Main and High Profile, Motion JPEG	256 MB Flash, 1024 MB RAM	D3-PTZ
AXIS Q6042	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 512 MB RAM	B3-PTZ
AXIS Q6042-C	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 512 MB RAM	B3-PTZ
AXIS Q6042-E	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 512 MB RAM	B3-PTZ
AXIS Q6042-S	ARTPEC-4	128 MB Flash, 512 MB RAM	B3-PTZ

<b>Product</b>	<b>CPU, video processing and compression</b>	<b>Memory resources</b>	<b>Product family*</b>
	H.264 Baseline and Main Profile, Motion JPEG		
AXIS Q6044	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 512 MB RAM	B3-PTZ
AXIS Q6044-C	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 512 MB RAM	B3-PTZ
AXIS Q6044-E	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 512 MB RAM	B3-PTZ
AXIS Q6044-S	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 512 MB RAM	B3-PTZ
AXIS Q6045 Mk II	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 512 MB RAM	B3-PTZ
AXIS Q6045-C Mk II	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 512 MB RAM	B3-PTZ
AXIS Q6045-E Mk II	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 512 MB RAM	B3-PTZ
AXIS Q6045-S Mk II	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 512 MB RAM	B3-PTZ

<b>Product</b>	<b>CPU, video processing and compression</b>	<b>Memory resources</b>	<b>Product family*</b>
AXIS Q6114-E	ARTPEC-5 H.264 Baseline, Main and High Profile, Motion JPEG	256 MB Flash, 1024 MB RAM	D3-PTZ
AXIS Q6115-E	ARTPEC-5 H.264 Baseline, Main and High Profile, Motion JPEG	256 MB Flash, 1024 MB RAM	D3-PTZ
AXIS Q6128-E	Ambarella s2 H.264 Baseline, Main and High Profile, Motion JPEG	256 MB Flash, 1024 MB RAM	TBD
AXIS Q7401	ARTPEC-3 H.264 Baseline Profile, Motion JPEG	128 MB Flash, 128 MB RAM	A1-ENC
AXIS Q7404	ARTPEC-3 x 4 H.264 Baseline Profile, Motion JPEG	128 x 4 MB Flash, 128 x 4 MB RAM	A1-ENC
AXIS Q7411	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B2-ENC
AXIS Q7414 Blade	ARTPEC-3 x 4 H.264 Baseline Profile, Motion JPEG	128 x 4 MB Flash, 256 x 4 MB RAM	B2-ENC
AXIS Q7424-R	ARTPEC-4	128 MB Flash, 512 MB RAM	B1-ENC

<b>Product</b>	<b>CPU, video processing and compression</b>	<b>Memory resources</b>	<b>Product family*</b>
	H.264 Baseline and Main Profile, Motion JPEG		
AXIS Q7436 Blade	ARTPEC-5 H.264 Baseline, Main Profile and High Profile Motion JPEG	256 x 6 MB Flash, 256 x 6 MB RAM	D1-ENC
AXIS Q8414-LVS	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-PTZ
AXIS Q8631-E	ARTPEC-4	128 MB Flash, 128 MB RAM	B1-PTZ
AXIS Q8632-E	ARTPEC-4	128 MB Flash, 256 MB RAM	B1-PTZ
AXIS Q8665-E	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS Q8665-LE	ARTPEC-4 H.264 Baseline and Main Profile, Motion JPEG	128 MB Flash, 256 MB RAM	B1-CAM
AXIS Q8721-E	2x ARTPEC-3 H.264 Baseline and Motion JPEG	128+128 MB Flash, 256 + 128 MB RAM	TBD
AXIS Q8722-E	2x ARTPEC-3 H.264 Baseline and Motion JPEG	128+128 MB Flash, 256 + 128 MB RAM	TBD
AXIS V5914	ARTPEC-5 H.264 Baseline, Main and High	512 MB Flash, 512 MB RAM	D2-PTZ

<b>Product</b>	<b>CPU, video processing and compression</b>	<b>Memory resources</b>	<b>Product family*</b>
	Profile, Motion JPEG		
AXIS V5915	ARTPEC-5 H.264 Baseline, Main and High Profile, Motion JPEG	512 MB Flash, 512 MB RAM	D2-PTZ